

Classico

HARDWARE

Gas Cooker
Lock
Brush
PU Float
PVC Hose
Shovel
Wheelbarrow
Dustbin
Tarpaulin
Gypsum Board



2604



3505SS



3705 PB-SS



3981 AC-WA
Antique Copper
Walnut Finish



M2302



MX-60mm



3201 SS
Entrance Lock
Stainless Steel



3871 SS
Entrance Lock
Stainless Steel



3981 AC-WA
Entrance Lock
Solid Wood Knob
AC/WA




3871 AB
Antique Brass




3871 AC
Antique Copper



CYLINDER: D19XL16mm zinc alloy
D19XL20mm zinc alloy
D19XL25mm zinc alloy
D19XL30mm zinc alloy
FINISH: Chrome plated, other finish to be special order
ACCESSORIES: 2 keys
1 hexagon nut 19mm
optional steel clip
1 cam plate, nickel plated
other size to be selected
1 fix washer (L16mm
not including fix washer)
***WITH CLICK SOUND**



1939-1



DRAWER LOCK HL500



DRAWER SLIDER

size: 10" 12" 14" 16" 18" 20" 22" 24"



HL1410-1414

HL1410-1414

1. The Material Of Lock Body: Brass
2. The Finish Of Lock Body: Stain
3. The Material Of Shackle: Steel(Hardened)/Stainless Steel/Brass
4. The Height Of The Shackle: Normal/Long Shackle/Order
5. Key: Brass/Steel
6. Key Blank: KB01/KB02/KB05
7. Key Way: KD/KA
8. Packing: White Box/Color Box/Skin Card/Double Blister/Single Blister/Card
9. Outside Packing: Wooden Case/Carton
10. Material Of Cylinder: Brass Cylinder

Side Opening Brass Padlock

ART NO.	SIZE
HL1410	16mm
HL1411	20mm
HL1412	25mm
HL1413	30mm
HL1414	40mm



HL201-207

HL201-207

1. The Material Of Lock Body: Brass
2. The Finish Of Lock Body: Stain
3. The Material Of Shackle: Steel(Hardened)/Stainless Steel/Brass
4. The Height Of The Shackle: Normal/Long Shackle/Order
5. Key: Brass/Steel
6. Key Blank: KB01/KB02/KB03/KB04/KB05/KB07
7. Key Way: KD/KA/KM
8. Packing: White Box/Color Box/Skin Card/Double Blister/Single Blister/Card
9. Outside Packing: Wooden Case/Carton
10. Material Of Cylinder: Brass Cylinder

Cast Brass Padlock (Heavy Duty)

ART NO.	SIZE
HL201	20mm
HL202	25mm
HL203	30mm
HL204	40mm
HL205	50mm
HL206	60mm
HL207	75mm



HL401B-405B

HL401B-405B

1. The Material Of Lock Body: Iron
2. The Finish Of Lock Body: Brass Color Painting
3. The Material Of Shackle: Steel(Hardened)
4. The Height Of The Shackle: Normal/Long Shackle/Order
5. Key: Brass/Steel
6. Key Blank: KB01/KB02/KB03/KB04/KB05
7. Key Way: KD/KA
8. Packing: White Box/Color Box/Skin Card/Double Blister/Single Blister/Card
9. Outside Packing: Wooden Case/Carton
10. Material Of Cylinder: Brass Cylinder/Iron Cylinder/Half Brass Cylinder

Thin Type Brass Padlock

ART NO.	SIZE
HL401B	20mm
HL402B	25mm
HL403B	30mm
HL4035B	35mm
HL404B	40mm
HL4045B	45mm
HL405B	50mm
HL406B	60mm

Classico

HARDWARE

Gas Cooker
Lock
Brush
PU Float
PVC Hose
Shovel
Wheelbarrow
Dustbin
Tarpaulin
Gypsum Board



1-N5-H
0.4mm Stainless steel surface
Sides: 0.5mm cold-rolled steel with painting
Burner: 90mm double with brass burner
Automatic piezo ignition, 100% catching fire

Model	Icon	kw	mm	mm	kg	kg
1-N5-H	Stainless steel	3.7	405x300x120	400x295x156	2.95	3.49



GC-87BX
0.4mm Stainless steel surface
Sides: 0.5mm cold-rolled steel with painting
Burner: 90mm single/Grill/90mm double
brass burner with whirlwind flame
Automatic piezo ignition, 100% catching fire

Model	Icon	kw	mm	mm	kg	kg
GC-87BX	Stainless steel	3.0/3.4	695x400x144	685x400x156	6.96	8.38



GS2000
0.4mm Stainless steel surface
Sides: 0.5mm galvanize steel
Burner: 90mm double/70mm single
Stainless steel burner with whirlwind flame
Automatic piezo ignition, 100% catching fire

Model	Icon	kw	mm	mm	kg	kg
GS2000	Stainless steel	3.0/3.4	695x392x115	685x400x156	4.7	5.92



Hardware



hoe head H304,2LB



hoe handle



chisel W-40 flat



hoe handle, a grade, 0.9M



rake handle, a grade, 1.2M



S503PDG
300X240X1020mm



S5518PD
205X150X700mm



S5519PD
200X160X700mm



S501MD
300X245X1000mm



S501PDG
300X245X1020mm



S503MD
300X240X1000mm

HARDWARE

Gas Cooker
Lock
Brush
PU Float
PVC Hose
Shovel
Wheelbarrow
Dustbin
Tarpaulin
Gypsum Board



BR reinforced PVC hose



BR reinforced PVC hose

REINFORCED PVC HOSE

Characteristic

- Open mesh polyester braiding encapsulated between walls of PVC tubing to become one hose.
- Offers far higher pressure capabilities than unreinforced PVC tubing.
- Crystal clear compound provides full visual flow (thin and standard wall).
- Made from non-toxic ingredients.
- Mirror smooth interior permits outstanding flow characteristics.
- Corrosion and abrasion resistant with flexibility similar to rubber but with much longer life.

Applications:

Chemical Transfer, Coolant Lines, Hydraulics, Material Handling,
Oil & Fuel, Pneumatics, Spray Systems, Water & Fluid Feeds.

Specifications

Item No	Nominal Size(Inch)	I.D (MM±0.2)	O.D (MM±0.4)	W.P (Bar)	Standard Length (M)	N.W (Kg±0.2)	Measurement DxHxd (mm)
BR12	1/2	12	16	5	15	11.0	430x210x150
		12	17	8	24	14.2	440x220x150
		13	17	5	15	11.7	430x210x150
		13	18	8	24	15.2	450x230x150
BR58	5/8	16	20	5	15	7.0	460x150x200
		16	21	8	24	9.0	470x160x200
BR34	3/4	19	24	4	12	10.5	560x140x250
		19	25	8	24	12.9	620x140x250
BR1	1	25	30	4	12	13.5	660x180x400
		25	31	6	18	16.4	690x180x400
BR114	1-1/4	32	38	3.5	10.5	20.5	860x180x400
		32	40	6	18	28.2	880x190x400
BR112	1-1/2	38	59	3	9	22.7	870x200x450
		38	60	5	15	26.3	890x200x450

NOTICE:

- 1 The bending radius is 5times of the inner diameter.
- 2 Not for welding use.

Hardware



CS tubing

Characteristic

- Made from non-toxic ingredients.
- Glass-like clarity with mirror-smooth surface provides outstanding flow characteristics.
- Does not impart a taste or odor.
- Lightweight yet tough and abrasive resistant.
- As flexible as rubber.
- Handles a wide variety of chemicals, gases, and liquids.
- Small minimum runs required for colors and custom sizes.
- Special Fuel & Oil grade available

Applications

Air & Gas Lines, Chemical Lines, Pharmaceutical, Instrumentation Food & Beverage,
Laboratory & Research, Material Handling Medical, Protective Jacketing, Pump
Feed & Discharge Refrigeration, Water & Fluid Lines

Specifications

Item No	Nominal Size(Inch)	I.D (MM±0.2)	O.D (MM±0.4)	W.P (Bar)	B.P (Bar)	Standard Length (M)	N.W (Kg±0.2)	Measurement DxHxd (mm)
CS 38	3/8	10	12		4	100	4.4	370x160x150
CS 58	5/8	16	19		3	50	5.3	450x150x200
CS 34	3/4	19	22		3		6.2	580x160x250
CS 1	1	25	30		3		13.8	690x180x400



LH38 PVC LPG hose

Characteristic

- Made from flexible pvc resin.Be easy to handle.
- Corrosion and abrasion resistant with flexibility similar to rubber but with much longer life.
- Insured by PICC for save using.
- Temperature range: -5°C- -65°C.

Applications:

PVC LPG conveyance


Specifications

Item No	Nominal Size(Inch)	I.D (MM±0.2)	O.D (MM±0.4)	W.P (Bar)	B.P (Bar)	Standard Length (M)	N.W (Kg±0.2)	Measurement DxH (mm)
LH 38	3/8	9	15	2	6	50	7	380x160


Classico

HARDWARE

Gas Cooker
Lock
Brush
PU Float
PVC Hose
Shovel
Wheelbarrow
Dustbin
Tarpaulin
Gypsum Board



Tarpaulin 115GSM, Dark Blue / Light Blue Stripe - 6 ft x 60 Yard/Roll
TARPAULIN 115GSM
COLOR. DARK BLUE/LIGHT BLUE STRIPE
SIZE. 6FT x 60YARD ROLL



PVC TARPAULIN
SPECIFICATION:
THICKNESS: 0.25mm-1.0mm
WIDTH: 39-80" (100cm-200cm)
TYPES: tents, awning, waterproof material, advertisement...etc.



Hardware



WB2201



WB2201A



WB5009



WB2800



WB6400



WB7200

Model	Load	Weight	Water Capacity	Sand Capacity	Wheel	L	H	C	A	B	H
WB2201A	120	9.8	58	5	13"x3"A	1320	550	550	775	495	245
WB5009	150	11.5	75	5	16"x4"A	1450	630	555	860	600	280
WB2800	120	15.8	60	5	13.5"x3.5"A	1400	560	610	830	375	255
WB6400	130	10.5	65	5	14"x4"A	1430	520	520	830	680	215
WB7200	160	10.2	78	6	13"x3"	1440	530	600	895	625	298

Classico

HARDWARE

Gas Cooker
Lock
Brush
PU Float
PVC Hose
Shovel
Wheelbarrow
Dustbin
Tarpaulin
Gypsum Board




Standard Board

Length(mm)	Width(mm)	Thickness(mm)
1830/6'	1200	6.4/1/4"
2400		8.0/7/16"
2400/8'		9.0
3000	1220/4'	9.5/7/8"
3050/10'		12.0
3660/12'		12.7/1/2"
other	other	15.0
		15.9/5/8"
		other



Fire Resistance

Length(mm)	Width(mm)	Thickness(mm)
2400	1200	12.0
		12.7/1/2"
		15.0
2400/8'	1220/4'	15.0
		15.9/5/8"



Moisture Resistance

Length(mm)	Width(mm)	Thickness(mm)
2400	1200	9.5/7/8"
		12.0
		12.7/1/2"
2400/8'	1220/4'	12.0
		12.7/1/2"

Hardware





DUSTBIN 120L



DUSTBIN 240L



DUSTBIN 660L
MATERIAL: PE (100% VIRGIN)



Classico

HARDWARE

Gas Cooker
Lock
Brush
PU Float
PVC Hose
Shovel
Wheelbarrow
Dustbin
Tarpaulin
Gypsum Board



102
5",6" wooden handle with blue tip,
round edge chrome tinplated



633
1",1.5",2",2.5",3",4"
red wooden handle,
round edge chrome tinplated



680
1",1.5",2",2.5",3",4"
wooden handle,
round edge chrome tinplated



730
1",1.5",2",2.5",3",4"
cream yellow wooden handle with red tip,
round edge chrome tinplated



760
1",1.5",2",2.5",3",4"
clear varnished wooden
handle with red tip,
round edge chrome tinplated



756
1",1.5",2",2.5",3",4"
cream yellow wooden handle with blue tip,
round edge chrome tinplated

Hardware



SHSY-2002-BC-B
1",2",2.5",3",4"
deep maroon wooden handle,
round edge brass coated ferrule



888
1",1.5",2",2.5",3",4"
cream yellow wooden handle with black tip,
round edge chrome tinplated



SHSY-001
1",1.5",2",2.5",3",4"
Pet filament, beavertail plain
wooden handle,
round edge golden plated tinplated




PT-CG-158
9"
Caulking gun, smooth rod,
built in seal punch on handle, aluminium tube



PT-PM-001
80*400mm
Paint mixer



PT-CG-109



PT-CG-118

Classico

HARDWARE

Gas Cooker
Lock
Brush
PU Float
PVC Hose
Shovel
Wheelbarrow
Dustbin
Tarpaulin
Gypsum Board



PT-SB-002
210*105mm
Plastic sanding block with rotary handles,
black foam thickness:6mm



SX030106
230*105mm
Plastic sanding block, Thickness:9mm,
black foam thickness:4mm,



PK-009
1",1.5",2",2.5",3",3.5"
Steel edge, varnished wooden
handle with hole




PK-011
1",1.5",2",2.5",3",3.5"
Black plastic handle with hole




PK-029
280*140mm
Trowel, PU Board & Handle




SR-003
9"
Decorating roller, Acrylic fabric,
Pile Height:7mm, PVC Core, Dia:38mm



PM914
9"
Complete set: Roller refill: Polyester fabric,
Pile Height:14mm, PP Core, Dia:38mm.
Roller Frame:4 Cages wire,
main rod chrome tinplated with dia 6mm,
blue plastic handle



TM
5.5"
Polyester fabric,
harris marbling effect roller with
soft grip double colour handle,
chrome tinplated, Dia:6mm




RF015
PU Float Size: 280x140x15



RF-005
9"
Plastic + TPR handle roller frame,
chrome tinplated



RC-CS-003
9"
Polyester fabric roller refill,
Pile Height:11mm, PP Core, Dia:38mm



RC-MS-001
4"
Acrylic roller refill,
White colour with different
colour stripe,
Pile High:11mm



RF018
PU Float with Middle Hole Sponge
Size: 280x140x15, Red/Blue color



RC-TM-006
9"
Special decorating roller,
sponge + cloth,
PVC Core, Dia:38mm



PT-004
9"
Plastic paint tray

Hardware